



Mammoth Lakes
CALIFORNIA

COMMUNITY AND ECONOMIC DEVELOPMENT DEPARTMENT

BUILDING DIVISION

PO Box 1609, Mammoth Lakes, CA 93546

(760) 965-3632

buildingtech@townofmammothlakes.ca.gov

www.townofmammothlakes.ca.gov

REROOFING PERMIT CONDITIONS

PERMIT REQUIREMENTS:

1. Roofing systems shall have a minimum class "A" rating.
2. All work shall be done in accordance with the California Building Code.
3. The R-value of the existing roof system shall not be decreased.
4. Plywood or diagonal metal strapping shall be installed directly to existing T&G roof decks prior to reroofing to provide minimum resistance to lateral forces.
5. All roofs shall meet the minimum requirements for severe climates as outlined in the California Building Code.

INSPECTIONS:

The contractor is responsible to call for inspection at mid-construction stage and at the completion of each project or building.

ASBESTOS REMOVAL

No, asbestos disturbance will not occur.

This project is exempt from compliance with the notification requirements of Part 61 of Title 40 of the Code of Federal Regulations (Asbestos NESHAP). If asbestos materials are encountered, we agree to comply with all Federal and State regulations regarding abatement.

Yes, asbestos disturbance will occur.

We will provide copies of all written asbestos notification to the Great Basin Air Pollution District pursuant to Part 61 of Title 40 of the Code of Federal Regulations prior to demolition and furnish to the Building Division a final report of asbestos abatement upon completion of the asbestos removal.

PLANS:

A cross section drawing or complete description of roof application including materials to be used shall be provided in the space below:

Number of Squares
(1 square = 100 square feet)

Signature of Applicant: _____

Date: _____